

Laser-Filler-Wires.


quada manufactures laser filler wires themselves and also under licence. **quada** supplies the wires for all laser welding applications in the industry and medical technology. All laser wire qualities are available as rods or spooled onto bobbins. Material weights from 100 grams can be supplied. Diameters of 0.127 to 1.2 mm and for WIG/TIG wires up to 3 mm can be supplied. We can also offer all normal spool sizes. Also individual special solutions for laser filler wire

On Bobbins/Spools:

- · from 100 g is possible
- · all normal spools are available
- · Ø 0,127 1,6 mm

As rods:

- · Ø 0,2 3,0 mm
- · Rod lengths: 333 mm, 457 mm, 1.000 mm







Lasersystems.

As a partner of ALPHA LASER we supply the whole range of laser welding equipment in parts of Germany and Europe. We have an optimum equipment solution ready for use. For series production or individual use we can advise you on the perfect laser welding equipment. Contact us and let us demonstrate the advantages of ALPHA LASER equipment.











quada V+F® Laserschweißdraht GmbH Hellestraße 40 58675 Hemer

Tel. +49 (0) 23 72 / 55 64 1 - 0 Fax. +49 (0) 23 72 / 55 64 1 - 10

E-Mail: info@quada-office.com Internet: www.quada-office.com